

Straightline 42x70 Stackable Transfer Conveyor W/Roll Away Unloading System Unit 1579

#4270124903, 904, 905

Equipment As Follows:

- 3 - 42x70 Transfer Conveyors - Designed to roll onto each other for one transportable system
- Frame: 4x4x5/16"
- Angle: 2x2x1/4"
- Lattice: 3x3x3/16" Idler Mount
- 30" Deep Truss
- Adjustable Height Transfer Undercarriages on Each
- Axle (Top & Middle Conveyor): 8 Bolt Hubs - Single 11.00-22.5 Tires
- Axle (Transport Conveyor): 10 Bolt Hubs - Dual 11.00-22.5 Tires
- Head Pulley: 16" x 44" C.F. - 3/8" HB Lagging - 3 7/16" Shaft
- Tail Pulley: 14" x 44" Wing Style - 2 15/16" Shaft
- Troughing Idlers: CEMA C - 5" Rollers @ 4' Centers
- Return Idlers: CEMA C - 5" Rollers @ 10' Centers + Nip Guards
- Gear Reducer: Master PT Size 6 with Backstop
- Motor: 30HP 1800 230/460/3PH Toshiba - (Motor Opposite Reducer)
- (3) 60A Electrical Switchgear Included - Interlocked
- Cord: 4/4 From Motors to Panels and 100' of Extra Cord
- Bearings: Dodge 2 Bolt Pillow Blocks
- Take-ups: Dodge Wide Slot
- 350FPM - 1110TPH
- 5' Receiving Hopper with Foldable Flared Hopper Sides
- Fifth Wheel Hitch + Tow Hook on each Conveyor
- Light Bar & Brakes Package
- Conveyor Belt 42" 3 Ply - 3/16" x 1/16" Cover
- Belt Splice - Flexco Mechanical Steel Fasteners
- 42" Superior Belt Scraper
- Guarding: Tail Pulley, V Belts, Return Guards, Hopper
- Sandblasted, Urethane Primed, and Urethane Painted





